

FLOS

F0995039 Sage


Bilboquet

Designed by Philippe Malouin, 2023



LED retrofit - 8W

Table lamp with adjustable head. Integrated LED bulb and cut-off providing direct lighting. Body made of a special pigmented polycarbonate deriving from a by-product of paper production rather than from petroleum. Adjustability through steel sphere treated with protective layer deposited in PVD. Useful length of the cable 2 mt. The cable can be adjusted and locked in place through a special slit in the base of the lamp. The product has been designed according to the ISCC standards and it is assembled with total absence of glued components so that it can be completely separated for future recyclability.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

| | |
|-------------------|---------------------|
| EAN | 8059607059197 |
| Mounting | Table |
| Environments | Indoor dry location |
| Light Source Type | Bulb |
| Lamp category | LED retrofit |
| Lamp holders | GU10 |
| Number of heads | 1 |
| Power (W) | 8 |
| System power (W) | 7.5 |

Physical

| | |
|---------------------|------|
| Colour | Sage |
| Length (mm) | 104 |
| Cord colour | Sage |
| Cord length (mm) | 2000 |
| Net weight (kg) | 1.8 |
| Package height (mm) | 95 |
| Package width (mm) | 300 |
| Package length (mm) | 380 |
| Package volume (m3) | 0.01 |
| IP internal | 20 |

Download

Mounting instructions [↓ PDF](#)

Photometric Files

LDT / IES [↓ ZIP](#)


Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



Schematic light drawing



Beam Angle: 54°

| h(m) | E(lx) | D(m) |
|------|-------|------|
| 1 | 571 | 1.01 |
| 2 | 143 | 2.02 |
| 3 | 63 | 3.02 |
| 4 | 36 | 4.03 |
| 5 | 23 | 5.04 |

Luminous flux Luminaire
615 lm

Photometric


Light distribution

Symmetric

Electrical

| | |
|--------------------|----------------------------------|
| Insulation class | II |
| Frequency (Hz) | 50/60 |
| Main voltage (Vac) | 220-250 |
| Dimmable | No |
| Dimming interface | Switch Integrated (Not Dimmable) |
| Plug type | Type C |
| Batteries inside | No |

Bulbs



INCLUDED

RF35612

Non Dimable Bulb 2700K 7,5W

220-240V